

2018 Optum ALERT

Outcomes-Informed Treatment Bibliography

- Ahn, H., & Wampold, B.E. (2001). Where oh where are the specific ingredients? A meta-analysis of componentstudies in counseling and psychotherapy. *Journal of Counseling Psychology, 48*, 251-257.
- Anker, M.G., Duncan, B.L., & Sparks, J.A. (2009). Using client feedback to improve couple therapy outcomes: A randomized clinical trial in a naturalistic setting. *Journal of Consulting and Clinical Psychology, 77*(4), 693-704.
- Azocar, F., Cuffel, B., McCulloch, J., McCabe, J., Tani, S., & Brody, B. (2007). Monitoring patient improvement and treatment outcomes in managed behavioral health. *Journal for Healthcare Quality, 29*(2), 4-12.
- Bachelor A. Clients' and therapists' views of the therapeutic alliance: similarities, differences and relationship to therapy outcome. *Clin Psychol Psychother. 2013 Mar-Apr;20*(2):118-35. doi: 10.1002/cpp.792. Epub 2011 Nov 14.
- Blais, M.A., Frank, R.G., Nierenberg, A.A., & Rauch, S.L. (2009). Measuring outcomes makes goodsense. *Psychiatric Services, 60*(1), 112.
- Blais, M.A., Frank, R.G., Nierenberg, A.A., & Rauch, S.L. (2009). Measuring outcomes makes goodsense
- Brown, G.S., Burlingame, G.M., Lambert, M.J., Jones, E., & Vaccaro, J. (2001). Pushing the quality envelope: A new outcomes management system. *Psychiatric Services, 52*(7), 925-934.
- Brown, G.S., Herman, R., Jones, E.R., & Wu, J. (2004). Using self-report to improve substance abuse risk assessment in behavioral health care. *Joint Commission Journal on Quality and Patient Safety, 30*(8), 448-454.
- Brown, G.S., & Jones, E.R. (2005). Implementation of a feedback system in a managed care environment: What are patients teaching us? *Journal of Clinical Psychology, 61*(2), 187-198.
- Brown, G.S., Lambert, M.J., Jones, E.R., & Minami, T. (2005). Identifying highly effective psychotherapists in a managed care environment. *American Journal of Managed Care, 11*(8), 513-520.
- Brown, G.S., Jones, E.R., Betts, W., & Wu, J. (2003). Improving suicide risk assessment in a managed-care environment. *Crisis, 24*(2), 49-55.
- Cate, R.A., Bolstrom, B., McCulloch, J., & Azocar, F. (2010). Medical comorbidity and its effect on workplace productivity in specialty care patients. *Psychiatric Annals, 40*(8), 397-407.
- Cerimele JM, Fortney JC, Pyne JM, Curran GM. [Bipolar disorder in primary care: a qualitative study of clinician and patient experiences with diagnosis and treatment](#). Fam Pract. 2018 Apr 5. doi: 10.1093/fampra/cmy019. [Epub ahead of print]
- Claiborn, C.D., & Goodyear, R.K. (2005). Feedback in psychotherapy. *Journal of Clinical Psychology, 61*(2), 209-217.
- Crits-Christoph, P., Baranackie, K., Kurcias, J., Beck, A., Carroll, K., Perry, K., Luborsky, L.,

[Tracking Responses to Items in Measures as a Means of Increasing Therapeutic Engagement in Clients: A Complementary Clinical Approach to Tracking Outcomes.](#)

Cross S, Mellor-Clark J, Macdonald J.

Clin Psychol Psychother. 2015 Nov-Dec;22(6):698-707. doi: 10.1002/cpp.1929. Epub 2014 Nov 17.

Eastwood B, Peacock A, Millar T, Jones A, Knight J, Horgan P, Lowden T, Willey P, Marsden J. [Effectiveness of inpatient withdrawal and residential rehabilitation interventions for alcohol use disorder: A national observational, cohort study in England.](#) J Subst Abuse Treat. 2018

Epstein EE, McCrady BS, Hallgren KA, Gaba A, Cook S, Jensen N, Hildebrandt T, Holzhauer CG, Litt MD. [Individual versus group female-specific cognitive behavior therapy for alcohol use disorder.](#) J Subst Abuse Treat. 2018 May;88:27-43. doi: 10

Gilbody S, Bower P, Fletcher J, Richards D, Sutton. Collaborative care for depression: a cumulative meta-analysis and review of longer-term outcomes. J. Arch Intern Med. 2006 Nov 27; 166(21):2314-21.

Gondek, D., Edbrooke-Childs, J., Fink, E., Deighton, J., & Wolpert, M. (2016). Feedback from outcome measures and treatment effectiveness, treatment efficiency, and collaborative practice: A systematic review. *Administration and Policy in Mental Health and Mental Health Services Research*, 43(3), 325-343.

Hannan, C., Lambert, M.J., Harmon, C., Nielsen, S.L., Smart, D.W., Shimokawa, K., & Sutton, S.W. (2005). A lab test and algorithms for identifying clients at risk for treatment failure. *Journal of Clinical Psychology*, 61(2), 155-163.

Harmon, C., Hawkins, Lambert, M.J., Slade, K., & Whipple, J.S.(2005). Improving outcomes for poorly responding clients: The use of clinical support tools and feedback to clients. *Journal of Clinical Psychology*, 61(2), 175-185.

Hawkins, E.J., Lambert, M.J., Vermeersch, D.A., Slade, K.L., & Tuttle, K.C. (2004). The therapeutic effects of providing patient progress information to therapists and patients. *Psychotherapy Research*, 14(3), 308-327.

Hermann, R.C., Chan, J., Zazzali, D., & Lerner, D. (2006). Aligning measurement-based quality improvement with implementation of evidence-based practices. *Administration and Policyin Mental Health*, 33(6), 636-645.

Hoffmann D, Rask CU, Hedman-Lagerlöf E, Ljótsson B, Frostholm L. [Development and Feasibility Testing of Internet-Delivered Acceptance and Commitment Therapy for Severe Health Anxiety: Pilot Study.](#) JMIR Ment Health. 2018 Apr 6;5(2):e28. doi: 10.2196/mental.9198.

Huppert, J.D., Bufka, L.F., Barlow, D.H., Gorman, J.M., Shear, M.K., & Woods, S.W. (2001). Therapists, therapist variables, and cognitive-behavioral therapy outcome in a multicenter trial for panic disorder. *Journal of Consulting and Clinical Psychology*, 69(5), 747-755.

Huguet A, Miller A, Kisely S, Rao S, Saadat N, McGrath PJ. A systematic review and meta-analysis on the efficacy of Internet-delivered behavioral activation J Affect Disord. 2018 Mar 8;235:27-38. doi: 10.1016/j.jad.2018.02.073

Karlsson RM, Wang AS, Sonti AN, Cameron HA. Adult neurogenesis affects motivation to obtain weak, but not strong, reward in operant tasks. Hippocampus. 2018 Apr 16. doi: 10.1002/hipo.22950

Kim, D.M., Wampold, B.E., & Bolt, D.M. (2006). Therapist effects in psychotherapy: A random-effects modeling of the National Institute of Mental Health Treatment of Depression Collaborative Research Program data. *Psychotherapy Research*, 16(2), 161-172.

Lambert, M.J. (2010). *Prevention of treatment failure: The use of measuring, monitoring, and feedback in clinical practice.* Washington, DC: American Psychological Association.

Lambert, M. (2007). Presidential address: What we have learned from a decade of research aimed at improving psychotherapy outcome in routine care. *Psychotherapy Research*, 17(1), 1-14.

Lambert, M.J., Harmon, C., Slade, K., Whipple, J.L., & Hawkins, E.J. (2005). Providing feedback to psychotherapists on their patients' progress: Clinical results and practice suggestions. *Journal of Clinical Psychology*, 61(2), 165-174.

Lambert, M.J., & Ogles, B.M. (2004). The Efficacy and Effectiveness of Psychotherapy. In M. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and BehaviorChange* (5th ed., pp. 139-193). New York, NY: John Wiley and Sons.

Lambert, M., Whipple, J., Hawkins, E., Vermeersch, D.A., Nielsen, S.L., & Smart, D.W. (2003). Is it time for clinicians to routinely track patient outcome? A meta-analysis. *Clinical Psychology: Science & Practice*, 10(3), 288-301.

Lambert, M.J., Whipple, J.L., Vermeersch, D.A., Smart, D.W., Hawkins, E.J., Nielsen, S.L., & Goates, M. (2002). Enhancing psychotherapy outcomes via providing feedback on client progress: A replication. *Clinical Psychology & Psychotherapy*, 9(2), 91-103.

Lambert, M.J., Whipple, J.L., Smart, D.W., Vermeersch, D.A., Nielsen, S.L., & Hawkins, E.J. (2001). The effects of providing therapists with feedback on patient progress during psychotherapy: Are outcomes enhanced? *Psychotherapy Research*, 11(1), 49-68.

Luborsky, L., Crits-Christoph, P., McLellan, T., Woody, G., Piper, W., Liberman, B., Imber, S., & Pilkonis, P. (1986). Do therapists vary much in their success? Findings from four outcome studies. *American Journal of Orthopsychiatry*, 56(4), 501-512.

Luborsky, L., Rosenthal, R., Diguer, L., Andrusyna, T.P., Berman, J.S., Levitt, J.T., Seligman, D.A., & Krause, E.D. (2002). The dodo bird verdict is alive and well—mostly. *Clinical Psychology: Science and Practice*, 9(1), 2-12.

Lueger, R.J. (1998). Using feedback on patient progress to predict the outcome of psychotherapy. *Journal of Clinical Psychology*, 54(3), 383-393.

Lutz, W., De Jong, K., & Rubel, J. (2015). Patient-focused and feedback research in psychotherapy: Where are we and where do we want to go? *Psychotherapy Research*, 25(6), 625-632.

Maloney, K. & Chaiken, B.P. (1999). An overview of outcomes research and measurement. *Journal for Healthcare Quality*, 21(6), 4-9.

Matsumoto, K., Jones, E., & Brown, J. (2003). Using clinical informatics to improve outcomes: A new approach to managing behavioral healthcare services. *The Journal on Information Technology in Healthcare*, 1(2), 135- 150.

Mclellan, A., Woody, G., Gallagher, D., & Zitrin, C. (1991). Meta-analysis of therapist effects in psychotherapy outcome studies. *Psychotherapy Research*, 1(2), 81-91.

Meyer BD, Lee JY, Thikkurissy S, Casamassimo PS, Vann WF Jr. [An Algorithm-Based Approach for Behavior and Disease Management in Children.](#) Pediatr Dent. 2018 Mar 15;40(2):89-92.

Miller, S.D., Duncan, B.L., Brown, J., Sorrell, R., & Chalk, M.B. (2006). Using formal client feedback to improve retention and outcome: Making ongoing, real-time assessment feasible. *Journal of Brief Therapy*, 5(1), 5-22.

Miller, S.D., Duncan, B.L., Sorrell, R., & Brown, G.S. (2005). The Partnersfor Change Outcome Management System. *Journal of Clinical Psychology*, 61(2), 199-208.

- Miller, S.D., Hubble, M.A., Chow, D., & Seidel, J. (2015). Beyond measures and monitoring: Realizing the potential of feedback-informed treatment. *Psychotherapy*, 52(4), 449-457.
- Minami, T., Brown, G.S., McCulloch, J., & Bolstrom, B. (2012). Benchmarking therapists: Furthering the bench marking method in its application to clinical practice. *Quality & Quantity*, 46(6), 1699-1708.
- Minami, T., Wampold, B.E., Serlin, R.C., Hamilton, E.G., Brown, G.S., & Kircher, J.C. (2008). Benchmarking the effectiveness of psychotherapy treatment for adult depression in a managed care environment: A preliminary study. *Journal of Consulting and Clinical Psychology*, 76(1), 116-124.
- Minami, T., Wampold, B.E., Serlin, R.C., Kircher, J.C., & Brown, G.S. (2007). Benchmarks for psychotherapy efficacy in adult major depression. *Journal of Consulting and Clinical Psychology*, 75(2), 232-243.
- Muran JC, Safran JD, Eubanks CF, Gorman BS.
The effect of alliance-focused training on a cognitive-**behavioral** therapy for personality disorders. *J Consult Clin Psychol*. 2018 Apr;86(4):384-397. doi: 10.1037/ccp0000284.
- Newton WP, Lefebvre A, Donahue KE, Bacon T, Dobson A.
[Infrastructure for large-scale quality-improvement projects: early lessons from North Carolina Improving Performance in Practice.](#) *J Contin Educ Health Prof*. 2010 Spring;30(2):106-13. doi: 10.1002/chp.20066.
- Nishida A, Ando S, Yamasaki S, Koike S, Ichihashi K, Miyakoshi Y, Maekawa S, Nakamura T, Natsubori T, Ichikawa E, Ishigami H, Sato K, Matsunaga A, Smith J, French P, Harima H, Kishi Y, Fujita I, Kasai K, Okazaki Y.
[A randomized controlled trial of comprehensive early intervention care in patients with first-episode psychosis in Japan: 1.5-year outcomes from the J-CAP study.](#) *J Psychiatr Res*. 2018 Apr 8;102:136-141. doi: 10.1016/j.jpsychires.2018.04.007. [Epub ahead of print]
- Okiishi, J.C., Lambert, M.J., Eggett, D., Nielsen, L., Dayton, D.D., & Vermeersch, D.A. (2006). An analysis of therapist treatment effects: Toward providing feedback to individual therapists on their clients' psychotherapy outcome. *Journal of Clinical Psychology*, 62(9), 1157-1172.
- Okiishi, J., Lambert, M.J., Nielsen, S.L., & Oglse, B.M. (2003). Waiting for supershrink: An empirical analysis of therapist effects. *Clinical Psychology and Psychotherapy*, 10(6), 361-373.
- Robinson, L.A., Berman, J.S., & Neimeyer, R.A. (1990). Psychotherapy for the treatment of depression: A comprehensive review of controlled outcome research. *Psychological Bulletin*, 108(1), 30-49.
- Panaite V, Brown R, Henry M, Garcia A, Powell-Cope G, Vanderploeg RD, Belanger HG [Post-deployment Mental Health Screening: A Systematic Review of Current Evidence and Future Directions.](#) *Adm Policy Ment Health*. 2018 Mar 30. doi: 10.1007/s10488-018-0869-7.
- Samalin L, Honciuc M, Boyer L, de Chazeron I, Blanc O, Abbar M, Llorca PM . [Efficacy of shared decision-making on treatment adherence of patients with bipolar disorder: a cluster randomized trial \(ShareD-BD\).](#) *BMC Psychiatry*. 2018 Apr 13;18(1):103. doi: 10.1186/s12888-018-1686-y.
- Sapyta, J., Riemer, M., & Bickman, L. (2005). Feedback to therapist: Theory, research, and practice. *Journal of Clinical Psychology*, 61(2), 145-153.
- Shapiro, D.A., & Shapiro, D. (1982). Meta-analysis of comparative therapy outcome studies: A replication and refinement. *Psychological Bulletin*, 92(3), 581-604.
- Shimokawa, K., Lambert, M.J., & Smart, D.W. (2010). Enhancing treatment outcome of patients at risk of treatment failure: Meta-analytic and mega-analytic review of a psychotherapy quality assurance system. *Journal of Consulting and Clinical Psychology*, 78(3), 298-

- Smith, G., Fischer, E., Nordquist, C., Mosley, C., & Ledbetter, N. (1997). Implementing outcomes management systemsin mental health settings. *Psychiatric Services*, 48(3), 364-368.
- Smith, M.L., & Glass, G.V. (1980). *The Benefits of Psychotherapy*. Baltimore: The John Hopkins University Press.
- Smith, M.L., & Glass, G.V. (1977). Meta-analysis of psychotherapy outcome studies. *American Psychologist*, 32(9), 752-760.
- Stirman, S.W., Crits-Christoph, P., & DeRubeis, R.J. (2004). Achieving successful dissemination of empiricallysupported psychotherapies: A synthesis of dissemination theory. *Clinical Psychology: Science and Practice*, 11(4), 343-359.
- Wampold, B.E. (1997). Methodological problems in identifying efficacious psychotherapies. *Psychotherapy Research*, 7(1), 21-43.
- Wampold, B.E. (2001). *The Great Psychotherapy Debate: Models, Methods, and Findings*. Mahwah NJ: Lawrence Erlbaum Associates.
- Wampold, B.E. (2015). Routine outcome monitoring: Coming of age – With the usual developmental challenges. *Psychotherapy*, 52(4), 458-462.
- Wampold, B.E.,& Brown, G.S. (2005). Estimating variability in outcomes attributable to therapists: A naturalistic study of outcomes inmanaged care. *Journal of Consulting and Clinical Psychology*, 73(5), 914-923.
- Whipple, J.L.,& Lambert, M.J. (2011). Outcome measures for practice. *Annual Review of Clinical Psychology*, 7, 87-111.
- Whipple, J.L., Lambert, M.J., Vermeersch, D.A., Smart, D.W., Nielsen, S.L., & Hawkins, E.J. (2003). Improving the effects of psychotherapy: The use of early identification of treatment failure and problem-solving strategies in routine practice. *Journal of Counseling Psychology*, 50(1), 59-68.
- Yaghubi M, Zargar F, Akbari H. [Comparing Effectiveness of Mindfulness-Based Relapse Prevention with Treatment as Usual on Impulsivity and Relapse for Methadone-Treated Patients: A Randomized Clinical Trial](#). Addict Health. 2017 Jul;9(3):156-165.
- Zilcha-Mano S, Muran JC, Eubanks CF, Safran JD, Winston A. [When therapist estimations of the process of treatment can predict patients rating on outcome: The case of the working alliance](#).J Consult Clin Psychol. 2018 Apr;86(4):398-402. doi: 10.1037/ccp0000293